Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(neural adj (net or network)) and (log near3 (hyperbolic adj cosine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 17:24
S1	348	706/15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/21 17:23
S2	350	706/16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:33
S3	845	706/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:33
S4	76	(S1 or S2 or S3) and ((chemical or polymer$7) with process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:15
S5	34	(S1 or S2 or S3) and ((chemical or polymer$7) adj process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:42
S6	21	S5 and @ad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:16
S7	19	S6 and (train$4 or constrain$4 or optimiz$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:40
S8	3	S7 and (tanh or hyperbolic adj tangent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:43
S9	3	S7 and (tanh or hyperbolic adj cosine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:43

S10	0	S7 and (cosh or hyperbolic adj cosine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:44
S11	0	S6 and (cosh or hyperbolic adj cosine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:44
S12	0	S5 and (cosh or hyperbolic adj cosine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:55
S13	3	S9 and non$1linear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 15:55
S14	0	(S1 or S2 or S3) and (polymer$7 adj process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:15
S15	60	(neural adj network) and (polymer$7 adj process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:17
S16	23	S15 and @ad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:17
S17	8	S16 and non$1linear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:22
S18	2	"5268834".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:04

S19	699	(TREIBER-S-STEVEN TREIBER-STEFAN TREIBER-STEVEN TREIBER-S-S TREIBER-S MCLEOD-RONALD MCLEOD-RONALD-B MCLEOD-RONALD-D MCLEOD-RONALD-E MCLEOD-RONALD-W KALAFATIS-A KALAFATIS-ALEX RAMANATHAN-SUNDARAM LINGARD-SIMON CHEN-CHAU-CHYUN).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 17:08
S20	699	(TREIBER-S-STEVEN TREIBER-STEFAN TREIBER-STEVEN TREIBER-S-S TREIBER-S MCLEOD-RONALD MCLEOD-RONALD-B MCLEOD-RONALD-D MCLEOD-RONALD-E MCLEOD-RONALD-W KALAFATIS-A KALAFATIS-ALEX RAMANATHAN-SUNDARAM LINGARD-SIMON CHEN-CHAU-CHYUN).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 19:00
S21	59	S20 and polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 19:01
S22	11	S21 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:53
S23	1625	703/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:53
S24	177	703/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54
S25	817	703/13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54

S26	1197	700/29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54
S27	333	700/30.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54
S28	374	700/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54
S29	350	706/16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54
S30	198	706/21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54
S31	233	706/23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 20:54

Web   Images   Groups   News   Froogle   Local   **more »**

Google™

"inverse hyperbolic tangent" relationship "inve| **Search**   Advanced Search
Preferences

Web Results **1 - 10** of about **411** for **"inverse hyperbolic tangent" relationship "inverse hyperbolic cosine"**

[PDF] Section 6.7 Hyperbolic Functions
File Format: PDF/Adobe Acrobat - View as HTML
That is, we define the **inverse hyperbolic cosine** function by the **relationship**
... the **inverse hyperbolic tangent** function, with value at x denoted by tanh ...
math.furman.edu/~dcs/book/c6pdf/sec67.pdf - Similar pages

[PS] Difference Equations Differential Equations to Section 6.7 ...
File Format: Adobe PostScript - View as Text
That is, we define the **inverse hyperbolic cosine** function by the **relationship**
... The domain of the **inverse hyperbolic tangent** function is (\Gamma 1; ...
math.furman.edu/~dcs/book/c6ps/sec67.ps - Similar pages

[PDF] Lecture 4
File Format: PDF/Adobe Acrobat - View as HTML
... Subtypes and attribute domains **Relationship** Geometric networks Page 8. ... F acosh(x)
inverse hyperbolic cosine F atanh(x) **inverse hyperbolic tangent** F Page 28. ...
www.gisworld.org/course/ess5400_03/lecture4.pdf - Supplemental Result - Similar pages

Manual Pages: 3 - Library Functions
... function acoshl(3) **inverse hyperbolic cosine** function acosl(3 ... function atanhl(3)
inverse hyperbolic tangent function atanl ... Establish IS-A **relationship** with base ...
da2i.univ-lille1.fr/cgi-bin/man/manwhatis?3 - 101k - Supplemental Result - Cached - Similar pages

Mathematical Functions and Dynamic UDFs
... Natural **Logarithm** (Ln): ln(x); **Logarithm** Base 10 (**Log**): **log**(x) ... Inverse
Hyperbolic Sine (Asinh): arcsinh(x); **Inverse Hyperbolic Cosine** (Acosh): ...
www.gepsoft.com/gepsoft/ APS3KB/Chapter02/Section2/SS1.htm - 14k - Cached - Similar pages

Royalty Free Microsoft Excel Compatible Spreadsheet Component for ...
ACOSH, Returns the **inverse hyperbolic cosine** of a number. ... **LOG**, Returns the
logarithm of a number of the base you specify. ...
www.spreadsheetgear.com/ products/spreadsheetgear.net.aspx - 72k - Jan 19, 2006 - Cached - Similar pages

Plane Graphic Calculator
log expr ln expr, 5, complex natural **logarithm** ... Observing this **relationship**
can help you to view the result vector (a·c, b·c) in geometric terms. ...
www.digitalhermit.com/math/calc/ - 211k - Cached - Similar pages

Freeware World Team - FWT
Provides information about **relationships** between authors, conferences or ...
hyperbolic sine, **inverse hyperbolic cosine**, **inverse hyperbolic tangent**), ...
www.all4you.dk/FreewareWorld/ links.php?page=12&cat=022 - 31k - Cached - Similar pages

Command Summary (MATLAB Function Reference)
... superiorto Superior class **relationship** uint8 , uint16 ... Inverse cosine and **inverse**
hyperbolic cosine acot , acoth ... tangent and **inverse hyperbolic tangent** atan2 Four ...
passat.mesh.de/matlab/techdoc/ref/ch1_qr.html - 101k - Supplemental Result - Cached - Similar pages

[PDF] <u>Quick Reference</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
mfATanh. Request **inverse hyperbolic tangent** function. Elementary math functions
... Each element records a logical true(1) if the **relationship** is true, and ...
jp.xlsoft.com/documents/ancad/MATFOR%203. 1%20in%20Fortran%20Quick%20Reference.pdf - <u>Similar pages</u>

Goooooooooogle ▶

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **Next**

Google Desktop Search   9:30 AM
Free! Instantly find your email, files, media and web history. <u>Download now.</u>

["inverse hyperbolic tangent" relation] Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Web   Images   Groups   News   Froogle   Local   **more »**

Google™

"inverse hyperbolic tangent" relationship "inver |Search| Advanced Search
Preferences

Web Results **1 - 10** of about **12,400** for "**inverse hyperbolic tangent**" "**inverse hyperbolic cosine**" (logarithm

Scientific Calculator
HArccotan, **Inverse hyperbolic tangent**, Is Derived by: **Log**((A + 1) / (A - 1)) / 2.
Exp, Exponential, Raise the natural **logarithm** to the specified power. ...
www.danbbs.dk/~erikoest/sciecalc.htm - 37k - Cached - Similar pages

Elementary Math :: Functions -- Categorical List (MATLAB Functions)
log, Natural **logarithm**. log1p, **Logarithm** of 1+x. log2, Base 2 **logarithm** and
dissect floating-point numbers into exponent and mantissa ...
www.mathworks.com/access/ helpdesk/help/techdoc/ref/func_b12.html - 18k - Cached - Similar pages

Visual Basic Trigonometric Math
Logarithm Function: Natural **logarithm** of a complex or real number. **Log** 10 Function:
"**Logarithm** Base 10" **Log** base-10 of X for a real or complex number. ...
www.entisoft.com/ESTools/MathTrigComplex.HTML - 13k - Cached - Similar pages

[PDF] abs(x) Absolute Value Returns the absolute value of x. acos(x ...
File Format: PDF/Adobe Acrobat - View as HTML
Computes the **inverse hyperbolic cosine** of x in degrees. asin(x) ... log(x).
Logarithm Base 10. Computes the **logarithm** of x (to the base of 10). log2(x) ...
mrtl.colorado.edu/equipment/ pdf%20files/labview%20formulas.pdf - Similar pages

Complex Functions
acosh, **inverse hyperbolic cosine**, acosh(z) = **log**(z + sqrt(z * z - 1.0)) ... atanh,
inverse hyperbolic tangent, atanh(value) = **log**((value + 1.0) / (value ...
fractorama.com/doc/complex_functions.html - 6k - Cached - Similar pages

Natural **Logarithm** -- From MathWorld
The principal value of the natural **logarithm** is implemented in Mathematica as
Log[x], ... **inverse hyperbolic cosine**, cosh^(-1)z, ln(z+sqrt(z-1)sqrt(z+1) ...
mathworld.wolfram.com/NaturalLogarithm.html - 41k - Cached - Similar pages

Scientific Calculator
tan(), tangent. **log**(), base 10 **logarithm**. log2(), base 2 **logarithm** ... acosh(),
inverse hyperbolic cosine. atanh(), **inverse hyperbolic tangent** ...
www.mathsisfun.com/scientific-calculator.html - 41k - Cached - Similar pages

Manual section 3M
... **inverse hyperbolic cosine** of argument acoshf - return **inverse hyperbolic** ...
log, log1p, log2, log10, logb - **logarithm** functions ilogbf - **logarithm** ...
ou800doc.caldera.com/cgi-bin/manlist?section=3M - 28k - Cached - Similar pages

CLHS: Function SINH, COSH, TANH, ASINH...
The following definition for the **inverse hyperbolic cosine** determines the range
and branch cuts:. arccosh z = 2 **log** (sqrt((z+1)/2) + sqrt((z-1)/2)). ...
www.ai.mit.edu/projects/iiip/doc/CommonLISP/ HyperSpec/Body/fun_sinhcm_co_coshcm_atanh.html - 9k -
Cached - Similar pages

Formula Node and Expression Node Functions - LabVIEW 8 Help

acosh(x), **Inverse Hyperbolic Cosine**, Computes the **inverse hyperbolic cosine ...**
**log**(x), **Logarithm** Base 10, Computes the **logarithm** of x (to the base of 10). ...
zone.ni.com/reference/en-XX/help/ 371361A-01/lvhowto/formula_node_and_express/ - 21k -
Cached - Similar pages

Gooooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Google Desktop Search   ⊘   ◉◉ 9:30AM

Free! Instantly find your email, files, media and web history. Download now.

"inverse hyperbolic tangent" "inverse   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   Images   Groups   News   Froogle   Local   **more »**

Google™ | "inverse hyperbolic tangent" relationship "inver | **Search** | Advanced Search
Preferences

Web Results **1 - 10** of about **411** for **"inverse hyperbolic tangent" relationship "inverse hyperbolic cosine"**

[PDF] Section 6.7 Hyperbolic Functions
File Format: PDF/Adobe Acrobat - View as HTML
That is, we define the **inverse hyperbolic cosine** function by the **relationship**
... the **inverse hyperbolic tangent** function, with value at x denoted by tanh ...
math.furman.edu/~dcs/book/c6pdf/sec67.pdf - Similar pages

[PS] Difference Equations Differential Equations to Section 6.7 ...
File Format: Adobe PostScript - View as Text
That is, we define the **inverse hyperbolic cosine** function by the **relationship**
... The domain of the **inverse hyperbolic tangent** function is (\Gamma 1; ...
math.furman.edu/~dcs/book/c6ps/sec67.ps - Similar pages

[PDF] Lecture 4
File Format: PDF/Adobe Acrobat - View as HTML
... Subtypes and attribute domains **Relationship** Geometric networks Page 8. ... F acosh(x)
inverse hyperbolic cosine F atanh(x) **inverse hyperbolic tangent** F Page 28. ...
www.gisworld.org/course/ess5400_03/lecture4.pdf - Supplemental Result - Similar pages

Manual Pages: 3 - Library Functions
... function acoshl(3) **inverse hyperbolic cosine** function acosl(3 ... function atanhl(3)
inverse hyperbolic tangent function atanl ... Establish IS-A **relationship** with base ...
da2i.univ-lille1.fr/cgi-bin/man/manwhatis?3 - 101k - Supplemental Result - Cached - Similar pages

Mathematical Functions and Dynamic UDFs
... Natural **Logarithm** (Ln): ln(x); **Logarithm** Base 10 (**Log**): **log**(x) ... Inverse
Hyperbolic Sine (Asinh): arcsinh(x); **Inverse Hyperbolic Cosine** (Acosh): ...
www.gepsoft.com/gepsoft/ APS3KB/Chapter02/Section2/SS1.htm - 14k - Cached - Similar pages

Royalty Free Microsoft Excel Compatible Spreadsheet Component for ...
ACOSH, Returns the **inverse hyperbolic cosine** of a number. ... **LOG**, Returns the
logarithm of a number of the base you specify. ...
www.spreadsheetgear.com/ products/spreadsheetgear.net.aspx - 72k - Jan 19, 2006 - Cached - Similar pages

Plane Graphic Calculator
log expr ln expr, 5, complex natural **logarithm** ... Observing this **relationship**
can help you to view the result vector (a·c, b·c) in geometric terms. ...
www.digitalhermit.com/math/calc/ - 211k - Cached - Similar pages

Freeware World Team - FWT
Provides information about **relationships** between authors, conferences or ...
hyperbolic sine, **inverse hyperbolic cosine**, **inverse hyperbolic tangent**), ...
www.all4you.dk/FreewareWorld/ links.php?page=12&cat=022 - 31k - Cached - Similar pages

Command Summary (MATLAB Function Reference)
... superiorto Superior class **relationship** uint8 , uint16 ... Inverse cosine and **inverse**
hyperbolic cosine acot , acoth ... tangent and **inverse hyperbolic tangent** atan2 Four ...
passat.mesh.de/matlab/techdoc/ref/ch1_qr.html - 101k - Supplemental Result - Cached - Similar pages

[PDF] <u>Quick Reference</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
mfATanh. Request **inverse hyperbolic tangent** function. Elementary math functions
... Each element records a logical true(1) if the **relationship** is true, and ...
jp.xlsoft.com/documents/ancad/MATFOR%203. 1%20in%20Fortran%20Quick%20Reference.pdf - <u>Similar pages</u>

Gooooooooogle ▶

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

Google Desktop Search   ◎ - ◎◎ 9:30 AM
Free! Instantly find your email, files, media and web history. <u>Download now</u>.

"inverse hyperbolic tangent" relation Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Web   Images   Groups   News   Froogle   Local   **more »**

Google™

"log of a hyperbolic cosine function" "neural ne   [Search]   Advanced Search
Preferences

Web   Results **1 - 1** of **1** for **"log of a hyperbolic cosine function" "neural network"**. (**0.41** seconds)

Tip: Try removing quotes from your search to get more results.

United States Patent Application: 0020072828

... transfer function includes The **log of a hyperbolic cosine function**. ...
for example, an optimizer is used to train a **neural network** (not to be confused ...
appft1.uspto.gov/.../ 20020072828&RS=DN/20020072828 - 100k - Supplemental Result - Cached - Similar pages

Try your search again on Google Book Search

Google Desktop Search   9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

"log of a hyperbolic cosine function"   [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google